



## SAFETY DATA SHEET

### Silver Mineral Formula with Clarifier

According to Appendix D, OSHA Hazard Communication Standard 29 CFR §1910.1200

#### 1. Identification

##### Product identifier

**Product name** Silver Mineral Formula with Clarifier  
**Internal identification** Proprietary mineral formula with aluminum sulfate  
**Synonyms; trade names** AQUA SMARTE Plus Mineral Activator®  
**EPA Registration Number** 53735-11

##### Recommended use of the chemical and restrictions on use

**Application** Pool water conditioner  
**Uses advised against** Use only for intended applications.

##### Details of the supplier of the safety data sheet

**Supplier** King Technology, Inc.  
6000 Clearwater Dr  
Minnetonka, MN 55343  
United States  
1+ (952) 933-6118  
sdsinfo@kingtechnology.com

##### Emergency telephone number

**Emergency telephone** CHEMTREC 800-424-9300 (24 hours)

#### 2. Hazard(s) identification

##### Classification of the substance or mixture

**OSHA Regulatory Status** The below environmental hazard classification is non-mandatory under the OSHA Hazard Communication Standard. The environmental classification is according to the UN Globally Harmonized System of Classification and Labelling of Chemicals (GHS), 8th revised edition, 2019.

**Physical hazards** Met. Corr. 1 - H290

**Health hazards** Skin Corr. 1A - H314 Eye Dam. 1 - H318

**Environmental hazards** Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410

##### Label elements

##### Hazard symbols



**Signal word** Danger

## Silver Mineral Formula with Clarifier

|                                 |   |
|---------------------------------|---|
| <b>Hazard statements</b>        | H290 May be corrosive to metals.<br>H314 Causes severe skin burns and eye damage.<br>H410 Very toxic to aquatic life with long lasting effects.   |
| <b>Precautionary statements</b> | P234 Keep only in original container.<br>P260 Do not breathe dust.<br>P264 Wash contaminated skin thoroughly after handling.<br>P273 Avoid release to the environment.<br>P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.<br>P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.<br>P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.<br>P304+P340 If inhaled: Remove person to fresh air and keep comfortable for breathing.<br>P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.<br>P310 Immediately call a poison center/ doctor.<br>P321 Specific treatment (see medical advice on this label).<br>P363 Wash contaminated clothing before reuse.<br>P390 Absorb spillage to prevent material damage.<br>P391 Collect spillage.<br>P405 Store locked up.<br>P406 Store in corrosive resistant container with a resistant inner liner.<br>P501 Dispose of contents/ container in accordance with national regulations. |
| <b>Contains</b>                 | Aluminum sulfate  |
| <b>Other hazards</b>            |   |
| <b>Other</b>                    | No additional hazards known.<br>«46»% of the mixture consists of ingredient(s) of unknown acute toxicity.   |

### 3. Composition/information on ingredients

#### Mixtures

|   |               |
|---|---------------|
| <b>Calcium carbonate</b><br>CAS number: 471-34-1  | <b>80-90%</b> |
| <b>Classification</b><br>Not Classified   |               |
| <b>Aluminum sulfate</b><br>CAS number: 10043-01-3   | <b>10-20%</b> |
| <b>Classification</b><br>Met. Corr. 1 - H290<br>Skin Corr. 1A - H314<br>Eye Dam. 1 - H318 |               |

## Silver Mineral Formula with Clarifier

|   |
|---|
| <b>Silver chloride</b> <span style="float: right;"><b>&lt;1%</b></span><br>CAS number: 7783-90-6<br>M factor (Acute) = 1000 <span style="margin-left: 150px;">M factor (Chronic) = 100</span> |
| <b>Classification</b><br>Aquatic Acute 1 - H400<br>Aquatic Chronic 1 - H410   |

The full text for all hazard statements is displayed in Section 16.

**Ingredient notes**                      The exact percentage/concentration is withheld as a trade secret in accordance with 29 CFR 1910.1200.

### 4. First-aid measures

#### Description of first aid measures

|                                   |   |
|-----------------------------------|---|
| <b>General information</b>        | Get medical attention if any discomfort continues. Show this Safety Data Sheet to the medical personnel. Chemical burns must be treated by a physician.   |
| <b>Inhalation</b>                 | Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Maintain an open airway. Loosen tight clothing such as collar, tie or belt. Rinse nose and mouth with water. Never give anything by mouth to an unconscious person. Get medical attention if symptoms are severe or persist. |
| <b>Ingestion</b>                  | Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Stop if the affected person feels sick as vomiting may be dangerous. Get medical attention.  |
| <b>Skin Contact</b>               | It is important to remove the substance from the skin immediately. Rinse immediately with plenty of water. Continue to rinse for at least 15 minutes and get medical attention. Chemical burns must be treated by a physician.  |
| <b>Eye contact</b>                | Rinse immediately with plenty of water. Do not rub eye. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes and get medical attention.   |
| <b>Protection of first aiders</b> | It may be dangerous for first aid personnel to carry out mouth-to-mouth resuscitation.  |

#### Most important symptoms and effects, both acute and delayed

|                            |   |
|----------------------------|---|
| <b>General information</b> | The severity of the symptoms described will vary dependent on the concentration and the length of exposure.   |
| <b>Inhalation</b>          | A single exposure may cause the following adverse effects: Severe irritation of nose and throat. Symptoms following overexposure may include the following: Corrosive to the respiratory tract. |
| <b>Ingestion</b>           | May cause chemical burns in mouth, esophagus and stomach. Symptoms following overexposure may include the following: Severe stomach pain. Nausea, vomiting.                                     |
| <b>Skin contact</b>        | Causes severe burns. Symptoms following overexposure may include the following: Pain or irritation. Redness. Blistering may occur.  |
| <b>Eye contact</b>         | Causes serious eye damage. Symptoms following overexposure may include the following: Pain. Profuse watering of the eyes. Redness.  |

#### Indication of immediate medical attention and special treatment needed

**Notes for the doctor**                      Treat symptomatically.

## Silver Mineral Formula with Clarifier

### 5. Fire-fighting measures

#### Extinguishing media

**Suitable extinguishing media** The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.

**Unsuitable extinguishing media** Do not use water jet as an extinguisher, as this will spread the fire.

#### Special hazards arising from the substance or mixture

**Specific hazards** Severe corrosive hazard. Water used for fire extinguishing, which has been in contact with the product, may be corrosive.

**Hazardous combustion products** Thermal decomposition or combustion products may include the following substances: Very toxic or corrosive gases or vapors.

#### Advice for firefighters

**Protective actions during firefighting** Avoid breathing fire gases or vapors. Evacuate area. Keep upwind to avoid inhalation of gases, vapors, fumes and smoke. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. Avoid discharge to the aquatic environment. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.

**Special protective equipment for firefighters** Regular protection may not be safe. Wear chemical protective suit. Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Standard Firefighter's clothing including helmets, protective boots and gloves will provide a basic level of protection for chemical incidents.

### 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

**Personal precautions** Wear protective clothing as described in Section 8 of this safety data sheet. No action shall be taken without appropriate training or involving any personal risk. Do not touch or walk into spilled material. Avoid inhalation of dust. Use suitable respiratory protection if ventilation is inadequate. Avoid contact with skin and eyes.

#### Environmental precautions

**Environmental precautions** Avoid discharge into drains or watercourses or onto the ground. Avoid discharge to the aquatic environment.

#### Methods and material for containment and cleaning up

**Methods for cleaning up** Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills immediately and dispose of waste safely. This product is corrosive. Collect spillage with a shovel and broom, or similar and reuse, if possible. Collect and place in suitable waste disposal containers and seal securely. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. Dangerous for the environment. Do not empty into drains. For waste disposal, see Section 13.

**Reference to other sections** For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.

## Silver Mineral Formula with Clarifier

### 7. Handling and storage

#### Precautions for safe handling

##### Usage precautions

Keep out of the reach of children. Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Keep container tightly sealed when not in use. This product is corrosive. Immediate first aid is imperative. Avoid discharge to the aquatic environment. Do not handle until all safety precautions have been read and understood. Do not handle broken packages without protective equipment. Do not reuse empty containers.

##### Advice on general occupational hygiene

Wash promptly if skin becomes contaminated. Take off contaminated clothing and wash before reuse. Wash contaminated clothing before reuse.

#### Conditions for safe storage, including any incompatibilities

##### Storage precautions

Store away from incompatible materials (see Section 10). Store locked up. Keep only in the original container. Keep container tightly closed, in a cool, well ventilated place. Keep containers upright. Protect containers from damage. Store in corrosive resistant container with a resistant inner liner.

##### Storage class

Corrosive storage.

#### Specific end uses(s)

##### Specific end use(s)

The identified uses for this product are detailed in Section 1.

### 8. Exposure controls/Personal protection

#### Control parameters

##### Occupational exposure limits

Calcium carbonate (CAS 471-34-1)

OSHA Permissible Exposure Limit (PEL): TWA 15 mg/m<sup>3</sup> (total dust)

OSHA Permissible Exposure Limit (PEL): TWA 5 mg/m<sup>3</sup> (respirable dust)

NIOSH Recommended exposure limit (REL): TWA 10 mg/m<sup>3</sup> (total dust)

NIOSH Recommended exposure limit (REL): TWA 5 mg/m<sup>3</sup> (respirable dust)

Aluminum sulfate (CAS 7783-90-6)

US ACGIH. CAS 10043-01-3. Threshold limit value (TLV-TWA): 1 mg/m<sup>3</sup>

Silver chloride (CAS 7783-90-6)

OSHA Permissible Exposure Limit (PEL): TWA 0.01 mg/m<sup>3</sup> (Silver soluble compounds, as Ag)

NIOSH Immediately Dangerous to Life or Health (IDLH): TWA 10 mg/m<sup>3</sup> (Silver soluble compounds, as Ag)

NIOSH Recommended Exposure Limit (REL): TWA 0.01 mg/m<sup>3</sup> (Silver soluble compounds, as Ag)

ACGIH Threshold Limit Value (TLV): 0.1 mg/m<sup>3</sup> (Silver soluble compounds, as Ag)

#### Exposure controls

##### Protective equipment



##### Appropriate engineering controls

Provide adequate ventilation. Observe any occupational exposure limits for the product or ingredients.

##### Eye/face protection

Wear tight-fitting, chemical splash goggles or face shield. If inhalation hazards exist, a full-face respirator may be required instead.

## Silver Mineral Formula with Clarifier

|  |  |
|--|--|
| <b>Hand protection</b>                 | Wear protective gloves. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. To protect hands from chemicals, gloves should comply with OSHA 1910.138 and be demonstrated to be impervious to the chemical and resist degradation. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected. Frequent changes are recommended. |
| <b>Other skin and body protection</b>  | Wear appropriate clothing to prevent any possibility of skin contact.  |
| <b>Hygiene measures</b>                | Wash after use and before eating, smoking and using the toilet. Do not eat, drink or smoke when using this product.  |
| <b>Respiratory protection</b>          | Ensure all respiratory protective equipment is suitable for its intended use and is NIOSH approved. Check that the respirator fits tightly and the filter is changed regularly. Gas and combination filter cartridges should comply with OSHA 1910.134. Full face mask respirators with replaceable filter cartridges should comply with OSHA 1910.134. Half mask and quarter mask respirators with replaceable filter cartridges should comply with OSHA 1910.134.  |
| <b>Environmental exposure controls</b> | Keep container tightly sealed when not in use. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.  |

### 9. Physical and chemical properties

#### Information on basic physical and chemical properties

|   |                           |
|---|---------------------------|
| <b>Appearance</b>                                   | Granules.                 |
| <b>Color</b>  | White.                    |
| <b>Odor</b>   | Odorless.                 |
| <b>Odor threshold</b>                               | No information available. |
| <b>pH</b>   | No information available. |
| <b>Melting point</b>                                | No information available. |
| <b>Initial boiling point and range</b>              | No information available. |
| <b>Flash point</b>                                  | No information available. |
| <b>Evaporation rate</b>                             | No information available. |
| <b>Evaporation factor</b>                           | No information available. |
| <b>Flammability (solid, gas)</b>                    | No information available. |
| <b>Upper/lower flammability or explosive limits</b> | No information available. |
| <b>Other flammability</b>                           | No information available. |
| <b>Vapor pressure</b>                               | No information available. |
| <b>Vapor density</b>                                | No information available. |
| <b>Relative density</b>                             | No information available. |
| <b>Bulk density</b>                                 | No information available. |
| <b>Solubility(ies)</b>                              | No information available. |

## Silver Mineral Formula with Clarifier

|                                  |                           |
|----------------------------------|---------------------------|
| <b>Partition coefficient</b>     | No information available. |
| <b>Auto-ignition temperature</b> | No information available. |
| <b>Decomposition Temperature</b> | No information available. |
| <b>Viscosity</b>                 | No information available. |

### 10. Stability and reactivity

|   |   |
|---|---|
| <b>Reactivity</b>                         | May be corrosive to metals.   |
| <b>Stability</b>                          | Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.   |
| <b>Possibility of hazardous reactions</b> | No potentially hazardous reactions known.   |
| <b>Conditions to avoid</b>                | Keep away from heat, sparks and open flame.   |
| <b>Materials to avoid</b>                 | Water, moisture. Mild steel. Stainless steel. Aluminum. May be corrosive to metals.   |
| <b>Hazardous decomposition products</b>   | Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Corrosive gases or vapors. |

### 11. Toxicological information

#### Information on toxicological effects

#### Acute toxicity - oral

**Notes (oral LD<sub>50</sub>)** Based on available data the classification criteria are not met.

#### Acute toxicity - dermal

**Notes (dermal LD<sub>50</sub>)** Based on available data the classification criteria are not met.

#### Acute toxicity - inhalation

**Notes (inhalation LC<sub>50</sub>)** Based on available data the classification criteria are not met.

#### Skin corrosion/irritation

**Summary** Prolonged contact with moist or wet product may cause burns.

**Skin corrosion/irritation** Skin Corr. 1 - H314 Causes burns.

#### Serious eye damage/irritation

**Serious eye damage/irritation** Eye Dam. 1 - H318 Corrosive to skin. Corrosivity to eyes is assumed.

#### Respiratory sensitization

**Respiratory sensitization** Based on available data the classification criteria are not met.

#### Skin sensitization

**Skin sensitization** Based on available data the classification criteria are not met.

#### Germ cell mutagenicity

**Genotoxicity - in vitro** Based on available data the classification criteria are not met.

#### Carcinogenicity

**Carcinogenicity** Based on available data the classification criteria are not met.

**IARC carcinogenicity** None of the ingredients are listed.

**NTP carcinogenicity** None of the ingredients are listed.

## Silver Mineral Formula with Clarifier

|  |   |
|--|---|
| <b>OSHA Carcinogenicity</b>                                      | None of the ingredients are listed.   |
| <b><u>Reproductive toxicity</u></b>                              |   |
| <b>Reproductive toxicity - fertility</b>                         | Based on available data the classification criteria are not met.  |
| <b>Reproductive toxicity - development</b>                       | Based on available data the classification criteria are not met.  |
| <b><u>Specific target organ toxicity - single exposure</u></b>   |   |
| <b>STOT - single exposure</b>                                    | Not classified as a specific target organ toxicant after a single exposure.   |
| <b><u>Specific target organ toxicity - repeated exposure</u></b> |   |
| <b>STOT - repeated exposure</b>                                  | Not classified as a specific target organ toxicant after repeated exposure.   |
| <b><u>Aspiration hazard</u></b>                                  |   |
| <b>Aspiration hazard</b>   | Not relevant. Solid.  |
| <b>General information</b>                                       | The severity of the symptoms described will vary dependent on the concentration and the length of exposure.   |
| <b>Inhalation</b>  | Corrosive to the respiratory tract. Symptoms following overexposure may include the following: Severe irritation of nose and throat.                        |
| <b>Ingestion</b>   | May cause chemical burns in mouth, esophagus and stomach. Symptoms following overexposure may include the following: Severe stomach pain. Nausea, vomiting. |
| <b>Skin Contact</b>  | Causes severe burns. Symptoms following overexposure may include the following: Pain or irritation. Redness. Blistering may occur.                          |
| <b>Eye contact</b>   | Causes serious eye damage. Symptoms following overexposure may include the following: Pain. Profuse watering of the eyes. Redness.                          |
| <b>Route of exposure</b>   | Ingestion Inhalation Skin and/or eye contact  |
| <b>Target Organs</b>   | No specific target organs known.  |

### 12. Ecological information

|   |   |
|---|---|
| <b>Toxicity</b>                             | Aquatic Acute 1 - H400 Very toxic to aquatic life. Aquatic Chronic 1 - H410 Very toxic to aquatic life with long lasting effects. |
| <b><u>Persistence and degradability</u></b> |   |
| <b>Persistence and degradability</b>        | The degradability of the product is not known.  |
| <b><u>Bioaccumulative potential</u></b>     |   |
| <b>Bio-Accumulative Potential</b>           | No data available on bioaccumulation.   |
| <b>Partition coefficient</b>                | No information available.   |
| <b><u>Mobility in soil</u></b>              |   |
| <b>Mobility</b>                             | No data available.  |
| <b><u>Other adverse effects</u></b>         |   |
| <b>Other adverse effects</b>                | None known.   |



## Silver Mineral Formula with Clarifier

### 13. Disposal considerations

#### Waste treatment methods

##### **General information**

The generation of waste should be minimized or avoided wherever possible. Reuse or recycle products wherever possible. This material and its container must be disposed of in a safe way. When handling waste, the safety precautions applying to handling of the product should be considered. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out. Empty containers or liners may retain some product residues and hence be potentially hazardous.

##### **Disposal methods**

Do not empty into drains. Dispose of surplus products and those that cannot be recycled via a licensed waste disposal contractor. Waste, residues, empty containers, discarded work clothes and contaminated cleaning materials should be collected in designated containers, labeled with their contents. Incineration or landfill should only be considered when recycling is not feasible.

### 14. Transport information

##### **General**

This product is not covered by the U.S. Department of Transportation regulation on the transport of dangerous goods (49 CFR Part 172). As supplied, this product is consigned under the Limited Quantities provisions.

##### UN Number

**UN No. (DOT)** Not applicable.

##### UN proper shipping name

**Proper shipping name (DOT)** Not applicable.

##### Transport hazard class(es)

##### **DOT transport labels**

No transport warning sign required.

##### Packing group

**DOT packing group** Not applicable.

##### Special precautions for user

**DOT reportable quantity** Not applicable.

**DOT TIH Zone** Not applicable.

### 15. Regulatory information

##### **United States FIFRA - Pesticide Labeling**

This product is a US EPA FIFRA registered pesticide (EPA Reg. No.: 53735-11) and is subject to certain labeling requirements under federal pesticide law. These requirements may differ from the classification criteria and hazard information required for an OSHA GHS SDS. The following is the hazard information as required on the FIFRA label:

##### **Signal Word**

CAUTION

##### US Federal Regulations

##### **SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities**

Not applicable.

## Silver Mineral Formula with Clarifier

### **CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA)**

The following ingredients are listed:

Silver compounds  
No RQ Assigned

*Aluminum sulfate*

Final CERCLA RQ: 5000(2270) pounds (Kilograms)

### **SARA Extremely Hazardous Substances EPCRA Reportable Quantities**

Not applicable.

### **SARA 313 Emission Reporting**

Not applicable.

### **CAA Accidental Release Prevention**

Not applicable.

### **FDA - Essential Chemical**

Not applicable.

### **FDA - Precursor Chemical**

Not applicable.

### **SARA (311/312) Hazard Categories**

Skin corrosion or irritation

### **OSHA Highly Hazardous Chemicals**

Not applicable.

**US Clean Water Act - Section 307(a)(1) Toxic Pollutants** The following ingredients are listed: Silver compounds

### **US State Regulations**

#### **California Proposition 65 Carcinogens and Reproductive Toxins**

None of the ingredients are listed.

#### **California Air Toxics "Hot Spots" (A-I)**

Not applicable.

#### **California Air Toxics "Hot Spots" (A-II)**

Not applicable.

#### **California Directors List of Hazardous Substances**

The following ingredients are listed:  
Silver compounds

**California Hazardous Waste Control Law** The following ingredients are listed: Silver compounds

#### **Massachusetts "Right To Know" List**

Not applicable.

#### **Rhode Island "Right To Know" List**

Not applicable.

#### **Minnesota "Right To Know" List**

Not applicable.

## Silver Mineral Formula with Clarifier

**New Jersey "Right To Know" List**

Not applicable.

**Pennsylvania "Right To Know" List**

Not applicable.

**Colorado Hazardous Waste Regulation Appendix VIII - Hazardous Waste Constituents**      The following ingredients are listed: Silver compounds

**Louisiana Reportable Quantity List for Pollutants**      The following ingredients are listed: Silver compounds  
No RQ Assigned

**New Jersey Discharge Tax List of Hazardous Substances**      The following ingredients are listed: Silver compounds

**Massachusetts Oil and Hazardous Materials List**      The following ingredients are listed: Silver compounds  
RQ: (50 lbs)

**Inventories**

**US - TSCA**

All the ingredients are listed or exempt.

*Calcium carbonate*

*Aluminum sulfate*

**US - TSCA 12(b) Export Notification**

Not applicable.

**16. Other information**

**Abbreviations and acronyms used in the safety data sheet**      TDG: The transport of dangerous goods act  
  
IATA: International air transport association.  
ICAO: Technical instructions for the safe transport of dangerous goods by air.  
IMDG: International maritime dangerous goods.  
CAS: Chemical abstracts service.  
ATE: Acute toxicity estimate.  
LC<sub>50</sub>: Lethal concentration to 50 % of a test population.  
LD<sub>50</sub>: Lethal dose to 50% of a test population (median lethal dose).  
EC<sub>50</sub>: 50% of maximal effective concentration.  
PBT: Persistent, bioaccumulative and toxic substance.  
vPvB: Very persistent and very bioaccumulative.

**Classification abbreviations and acronyms**      Met. Corr. = Corrosive to metals  
Eye Dam. = Serious eye damage  
Skin Corr. = Skin corrosion  
Aquatic Acute = Hazardous to the aquatic environment (acute)  
Aquatic Chronic = Hazardous to the aquatic environment (chronic)

**Revision date**      10/24/2022

**Revision**      05

**SDS No.**      4831

## Silver Mineral Formula with Clarifier

### Hazard statements in full

H290 May be corrosive to metals.  
H314 Causes severe skin burns and eye damage.  
H318 Causes serious eye damage.  
H400 Very toxic to aquatic life.  
H410 Very toxic to aquatic life with long lasting effects.

The information provided on the SDS is correct to the best of our knowledge, information, and belief at the date of this publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal, and release, and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.